

Quality where it counts

Unparalleled performance, finish and sustainability credentials

make Accoya® the ideal material for windows and doors.

> Improved stability and durability

Accoya is tested and trusted not to visibly swell, shrink or distort. It stands the test of time with minimal actual movement in all climates

> More efficient handling and processing

Accoya comes in fixed width sections based on common joinery sizes. Faster processing and less waste

> Excellent machinability

Accoya's consistency and low level of grain raising makes it easy to work with and smoother to install and coat

> Ideal for coating


Accoya allows you to offer a wide choice of coatings for different looks as well as enhanced performance

Sustainably sourced

Offer your customers the truly sustainable choice with a timber that's plantation grown and non toxic

Distributed by





Performance



FEWER CALL BACKS



LESS SNAGGING



EXCELLENT MACHINABILITY



50 YEAR WARRANTY





HIGHLY

Finish



VERY LOW MAINTENANCE



IDEAL FOR COATING

Sustainability



LOW CO₂ EMISSIONS



NON TOXIC



SUSTAINABLY SOURCED



ENVIRONMENTAL

ITI Timspec

Tel: 0800 484 695 sales@ititimspec.co.nz www.ititimspec.nz

ITI Timspec Ltd - Auckland 26 Keeling Road Henderson Auckland 0612

ITI Timspec Ltd - Christchurch 14 Braeburn Drive Hornby Christchurch 8042

Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact us if you would like AIA/ NZIA certified architects presentation.

Available sizes

Available sizes shown below are set in millimetres (mm).

Thickness	Widths		Grades		
	100	150	200	250	
25	/	/	1	/ *	A1, A2, B
38		/	/		A1, A2, B
50	1	1	/	/ *	A1, FJ/A1**, A2
63		/	/		A1, A1**, A2, B
75		1	1		A1, A1**, A2

Other dimensions may be available upon request

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: www.accoya.com

Key benefit	Accoya	PNG Rosewood	Radiata Clears	FJ Clears	Iroko	Western Red Cedar
Lifespan	111	✓ (✓)	√ (√)	√ (√)	//	11
Warranty	111	N/A	N/A	N/A	N/A	N/A
Coatings performance*	111	11	/	1	/	/
Thermally insulating	//	/	/	1	1	/
Maintenance intervals	111	11	/	1	/	/
Sourced sustainably	111	1	/	/	/	1

^{*}Please see essential coatings guide for further information.

Copyright © Accsys Technologies 2022, Accsys Technologies is a trading name of Titan Wood Limited. Accoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. EP3702993, EP9706379, EP0680810, EP1718442, EP09706379, EP13704063, EP13734851, EP14169338, EP14177290, EP14175220 together with corresponding patents in many other countries





* limited availability in A1 and A2 grades only **See finger Joint leaflet for actual FJ

dimensions.



THE SCHINESS CHOICE

Accoya® decking carries a 25 year warranty – a clear demonstration of its exceptional stability and durability in all climates.

> Highly stable

Allowing you to achieve a quality finish with hidden fixings, minimal gaps and boards which remain flat

> Highly durable

Ensuring satisfaction for years to come

> Excellent workability

Accoya's consistency makes it easy to work with and smooth to install

> Sustainably sourced


Accoya is a truly sustainable choice from origin to use

Barefoot friendly

Non toxic and cool in hot weather, Accoya is friendly for people and pets, as well as the environment

Distributed by





Performance





HIGHLY DURABLE



EXCELLENT MACHINABILITY



25 YEAR WARRANTY

Finish



BAREFOOT



NATURAL

Sustainability



LOW CO₂ EMISSIONS



NON TOXIC



SOURCED



ENVIRONMENTAL

Available sizes

Available sizes shown below are set in millimetres (mm).

Thickness	Width	าร			Grades
	100	125	150	200	
25	1	/	/	1	A1, A2, B
32		/	/	/	A1, A2, B
38		1	1	/	A1, A2, B
50	1	/	/	/	A1, A2, B

Other dimensions may be available upon request

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: www.accoya.com

Key benefit	Accoya	Plastic comps'	Spotted Gum/ Iron Bark	Jarrah	Treated softwood	Vitex	Purple Heart
Lifespan	///	Variable	//(/)	//(/)	/	//	// (/)
Warranty	111	11	N/A	N/A	N/A	N/A	N/A
Maintenance intervals*	1	1	1	1	/	1	✓
Cupping	111	111	//	//	/	1	✓ (✓)
Sourced sustainably	111	1	/	✓	/	/	1

^{*}All decking will require cleaning at least once a year.

Copyright © Accsys Technologies 2022, Accsys Technologies is a trading name of Titan Wood Limited. Accoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. EP3702993, EP9706379, EP0680810, EP1718442, EP09706379, EP13704063, EP13734851, EP14169338, EP14177290, EP14175220 together with corresponding patents in many other countries.







Tel: 0800 484 695 sales@ititimspec.co.nz www.ititimspec.nz

ITI Timspec Ltd - Auckland 26 Keeling Road Henderson Auckland 0612

ITI Timspec Ltd - Christchurch 14 Braeburn Drive Hornby Christchurch 8042

Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact us if you would like AIA/ NZIA certified architects presentation.



Unparalleled creative potential

Accoya® sets the benchmark in wood for performance, finish and sustainability, giving architects and manufacturers new design freedom for wooden cladding.

- Wide boards available
 Giving your customers the design flexibility they desire.
- Maintains original form and shape
 Thanks to Accoya's stability, you'll spend less time achieving a quality finish and encountering problems at installation and in service.
- Appearance options
 The Accoya surface is particularly suited to a wide range of texturing options through sawing, brushing and charring. Or a combination. It's stability means black coatings are achievable with Accoya.
- Opportunities for adding value
 You can offer your clients a wide choice of coatings for different looks and enhanced performance.
- Sustainably sourced

 Offer your clients the truly sustainable choice they need to meet global environmental challenges.





Performance







50 YEAR WARRANTY

Finish



BESPOKE



IDEAL FOR



WIDE BOARDS AVAILABLE

Sustainability



LOW CO₂ EMISSIONS



100% RECYCLABLE



SUSTAINABLY



ENVIRONMENTAL

TI Timspec

Tel: 0800 484 695 sales@ititimspec.co.nz www.ititimspec.nz

ITI Timspec Ltd - Auckland 26 Keeling Road Henderson Auckland 0612

ITI Timspec Ltd - Christchurch 14 Braeburn Drive Hornby Christchurch 8042

Accsys run an Approved Manufacturer Training Programme and we would encourage all manufacturers planning to use Accoya to contact their distributor or Accsys directly to arrange for this training programme. For architects please contact us if you would like AIA/ NZIA certified architects presentation.

Available sizes

Available sizes shown below are set in millimetres (mm).

Thickness	Width	าร			Grades		
	100	125	150	200	250		* limited avai A1 and A2 g
25	1	1	1	/	/ *	A1, A2, B	Other dimer
32		/	/	/		A1, A2, B	may be ava upon reque

ilability in grades only

nsions ailable est

Available Profiles

Available in all our standard vertical shiplap, horizontal rusticated, and bevelback weatherboards, including random width and custom profiles.

Performance in every measure

For comparative wood species performance test data please see Accoya performance testing summary available on our website: www.accoya.com

Key benefit	Accoya	Western Red Cedar	VG* Western Red Cedar	Radiata Pine (paint only)	TMT**
Lifespan	111	11	//	//	//
Warranty	111	N/A	N/A	N/A	N/A
Coatings performance	111	/	11	/	/
Stability	111	/	//	/	1
Sourced sustainably	111	✓	/	/	/

*VG = Vertical Grain **TMT = Thermally Modified

